=> file caplus; d que 19; d que 110

FILE 'CAPLUS' ENTERED AT 16:52:29 ON 19 SEP 2005

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2005 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 19 Sep 2005 VOL 143 ISS 13 FILE LAST UPDATED: 18 Sep 2005 (20050918/ED)

New CAS Information Use Policies, enter HELP USAGETERMS for details.

This file contains CAS Registry Numbers for easy and accurate substance identification.

L2	206557				ANTITUMOR? OR ANTINEOPLAS? OR CARCINOSTAT? OR ONCOLY?
L3	666615	SEA FILE=CAPLUS A OR NEOPLAS? OR TU TREAT? OR SUPPRES	ABB=ON UMOUR? (	PLU=ON	TUMOR? OR TUMOUR? OR CANCER?
L4	15958	SEA FILE=CAPLUS A		PLU=ON	ANGIOGENESIS/CT OR NEOVASCULARI
L5	7764	SEA FILE=CAPLUS AANTIANGIOGENIC?	ABB=ON	PLU=ON	ANGIOGENESIS INHIBITORS/CT OR
L6	6	SEA FILE=CAPLUS A	ABB=ON	PLU=ON	VCIP OR COLLAGEN INDUCIBLE
L7	11	SEA FILE=CAPLUS A	ABB=ON	PLU=ON	PHOSPHATIDIC ACID PHOSPHATASE
L9	6	SEA FILE=CAPLUS A	ABB=ON	PLU=ON	(L2 OR L3 OR L4 OR L5) AND (L6
L6	6	SEA FILE=CAPLUS A	ABB=ON	PLU=ON	VCIP OR COLLAGEN INDUCIBLE
L7	11	SEA FILE=CAPLUS A 2B OR PAP2B	ABB=ON	PLU=ON	PHOSPHATIDIC ACID PHOSPHATASE
L8 L10		SEA FILE=CAPLUS A		PLU=ON PLU=ON	INTEGRINS+OLD/CT L8 AND (L6 OR L7)

=> s 19 or 110

L24 6 L9 OR L10

=> file medline; d que 114 FILE 'MEDLINE' ENTERED AT 16:52:51 ON 19 SEP 2005

FILE LAST UPDATED: 17 SEP 2005 (20050917/UP). FILE COVERS 1950 TO DATE.

On December 19, 2004, the 2005 MeSH terms were loaded.

The MEDLINE reload for 2005 is now available. For details enter HELP RLOAD at an arrow promt (=>). See also:

http://www.nlm.nih.gov/mesh/

http://www.nlm.nih.gov/pubs/techbull/nd04/nd04 mesh.html

OLDMEDLINE now back to 1950.

MEDLINE thesauri in the /CN, /CT, and /MN fields incorporate the MeSH 2005 vocabulary.

This file contains CAS Registry Numbers for easy and accurate substance identification.

L11	1 SEA FILE=MEDLINE ABB=ON	PLU=ON VCIP OR COLLAGEN INDUCIBLE
	PROTEIN	
L12	4 SEA FILE=MEDLINE ABB=ON	PLU=ON PHOSPHATIDIC ACID PHOSPHATASE
	2B OR PAP2B	
L13	4 SEA FILE=MEDLINE ABB=ON	PLU=ON L11 OR L12
L14	1 SEA FILE=MEDLINE ABB=ON	PLU=ON L13 AND (CELL CELL)/TI

=> file biosis; d que 118
FILE 'BIOSIS' ENTERED AT 16:53:01 ON 19 SEP 2005
Copyright (c) 2005 The Thomson Corporation

FILE COVERS 1969 TO DATE.
CAS REGISTRY NUMBERS AND CHEMICAL NAMES (CNs) PRESENT FROM JANUARY 1969 TO DATE.

RECORDS LAST ADDED: 14 September 2005 (20050914/ED)

FILE RELOADED: 19 October 2003.

L15	2 SEA FILE=BIOSIS ABB=ON PLU=ON VCIP OR COLLAGEN INDUCIBLE
	PROTEIN
L16	5 SEA FILE=BIOSIS ABB=ON PLU=ON PHOSPHATIDIC ACID PHOSPHATASE
	2B OR PAP2B
L17	6 SEA FILE=BIOSIS ABB=ON PLU=ON (L15 OR L16)
L18	1 SEA FILE=BIOSIS ABB=ON PLU=ON L17 AND ANGIO?/TI

=> file embase; d que 121 FILE 'EMBASE' ENTERED AT 16:53:15 ON 19 SEP 2005 COPYRIGHT (C) 2005 Elsevier Inc. All rights reserved.

FILE COVERS 1974 TO 15 Sep 2005 (20050915/ED)

EMBASE has been reloaded. Enter HELP RLOAD for details.

This file contains CAS Registry Numbers for easy and accurate substance identification.

L19
2 SEA FILE=EMBASE ABB=ON PLU=ON VCIP OR COLLAGEN INDUCIBLE PROTEIN

L20
4 SEA FILE=EMBASE ABB=ON PLU=ON PHOSPHATIDIC ACID PHOSPHATASE 2B OR PAP2B

L21
5 SEA FILE=EMBASE ABB=ON PLU=ON (L19 OR L20)

NHL: No new velluant crations were found in this file.

=> file wpix; d que 122; d que 123 FILE 'WPIX' ENTERED AT 16:53:25 ON 19 SEP 2005 COPYRIGHT (C) 2005 THE THOMSON CORPORATION

FILE LAST UPDATED: 15 SEP 2005 <20050915/UP>
MOST RECENT DERWENT UPDATE: 200559 <200559/DW>
DERWENT WORLD PATENTS INDEX SUBSCRIBER FILE, COVERS 1963 TO DATE

>>> FOR A COPY OF THE DERWENT WORLD PATENTS INDEX STN USER GUIDE, PLEASE VISIT:

http://www.stn-international.de/training\_center/patents/stn\_guide.pdf <<<

- >>> FOR DETAILS OF THE PATENTS COVERED IN CURRENT UPDATES, SEE http://thomsonderwent.com/coverage/latestupdates/ <<<
- >>> FOR INFORMATION ON ALL DERWENT WORLD PATENTS INDEX USER
  GUIDES, PLEASE VISIT:
  http://thomsonderwent.com/support/userquides/ <<<
- >>> NEW! FAST-ALERTING ACCESS TO NEWLY-PUBLISHED PATENT
  DOCUMENTATION NOW AVAILABLE IN DERWENT WORLD PATENTS INDEX
  FIRST VIEW FILE WPIFV.
  FOR FURTHER DETAILS: http://www.thomsonderwent.com/dwpifv <<<
- >>> THE CPI AND EPI MANUAL CODES HAVE BEEN REVISED FROM UPDATE 200501. PLEASE CHECK:

http://thomsonderwent.com/support/dwpiref/reftools/classification/code-revision/ FOR DETAILS. <<<

- L22 2 SEA FILE=WPIX ABB=ON PLU=ON VCIP OR COLLAGEN INDUCIBLE PROTEIN
- L23 0 SEA FILE=WPIX ABB=ON PLU=ON PHOSPHATIDIC ACID PHOSPHATASE 2B OR PAP2B

=> dup rem 114 124 118 122 FILE 'MEDLINE' ENTERED AT 16:54:03 ON 19 SEP 2005

FILE 'CAPLUS' ENTERED AT 16:54:03 ON 19 SEP 2005 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT. PLEASE SEE "HELP USAGETERMS" FOR DETAILS. COPYRIGHT (C) 2005 AMERICAN CHEMICAL SOCIETY (ACS)

FILE 'BIOSIS' ENTERED AT 16:54:03 ON 19 SEP 2005 Copyright (c) 2005 The Thomson Corporation

FILE 'WPIX' ENTERED AT 16:54:03 ON 19 SEP 2005 COPYRIGHT (C) 2005 THE THOMSON CORPORATION

PROCESSING COMPLETED FOR L14
PROCESSING COMPLETED FOR L24
PROCESSING COMPLETED FOR L18
PROCESSING COMPLETED FOR L22

L25 7 DUP REM L14 L24 L18 L22 (3 DUPLICATES REMOVED)

ANSWER '1' FROM FILE MEDLINE ANSWERS '2-6' FROM FILE CAPLUS ANSWER '7' FROM FILE BIOSIS

 $\Rightarrow$  d ibib ed ab 125 1-7

L25 ANSWER 1 OF 7 MEDLINE on STN DUPLICATE 3

ACCESSION NUMBER: 2003203084 MEDLINE DOCUMENT NUMBER: PubMed ID: 12660161

TITLE: Regulation of cell-cell interactions by

phosphatidic acid phosphatase

2b/VCIP.

AUTHOR: Humtsoe Joseph O; Feng Shu; Thakker Geeta D; Yang Jun; Hong

Jun; Wary Kishore K

CORPORATE SOURCE: Center for Extracellular Matrix Biology, Institute of

Biosciences and Technology, Texas Medical Center, 2121 W

Holcombe Blvd, Houston, TX 77030, USA.

SOURCE: EMBO journal, (2003 Apr 1) 22 (7) 1539-54.

Journal code: 8208664. ISSN: 0261-4189.

PUB. COUNTRY: England: United Kingdom

DOCUMENT TYPE: Journal; Article; (JOURNAL ARTICLE)

LANGUAGE: English

FILE SEGMENT: Priority Journals

ENTRY MONTH: 200305

ENTRY DATE: Entered STN: 20030502

Last Updated on STN: 20030515 Entered Medline: 20030514

ED Entered STN: 20030502

Last Updated on STN: 20030515 Entered Medline: 20030514

AB We identified vascular endothelial growth factor and type I

collagen inducible protein (VCIP),

also known as phosphatidic acid phosphatase

2b (PAP2b), in a functional assay of angiogenesis. VCIP/PAP2b exhibits an Arg-Gly-Asp (RGD) cell adhesion sequence. Immunoprecipitation and fluorescence-activated cell sorting

analyses demonstrated that **VCIP**-RGD is exposed to the outside of the cell surface. Retroviral transduction of **VCIP** induced cell aggregation/cell- cell interactions, modestly increased p120 catenin expression and promoted activation of the Fak, Akt and GSK3beta protein kinases. Furthermore, expression of recombinant **VCIP** promoted

adhesion, spreading and tyrosine phosphorylation of Fak, Shc, Cas and paxillin in endothelial cells. GST-VCIP-RGD, but not GST-

VCIP-RGE, specifically interacted with a subset of integrins, and these interactions were effectively blocked by anti-alpha(v)beta(3) and

anti-alpha(5)beta(1) integrin antibodies, and by PAP2b/

VCIP-derived peptides. Interestingly, PAP2b/

VCIP is expressed in close proximity to vascular endothelial growth factor, von Willebrand factor and alpha(v)beta(3) integrin in tumor vasculatures. These findings demonstrate an unexpected function of

PAP2b/VCIP, and represent an important step towards understanding the molecular mechanisms by which PAP2b/VCIP-induced cell-cell interactions regulate specific intracellular signaling pathways.

```
L25 ANSWER 2 OF 7 CAPLUS COPYRIGHT 2005 ACS on STN DUPLICATE 1
                               2005:15782 CAPLUS
ACCESSION NUMBER:
DOCUMENT NUMBER:
                               142:107374
TITLE:
                               VEGF- and type I collagen-inducible
                               protein (VCIP), also known as
                               PAP2b, VCIP-derived peptides, and
                               uses for diagnosis and anti-angiogenic and anti-
                               cancer therapy
                               Wary, Kishore K.; Humtsoe, Joseph O.
INVENTOR(S):
PATENT ASSIGNEE(S):
                               USA
                               U.S. Pat. Appl. Publ., 73 pp.
SOURCE:
                               CODEN: USXXCO
DOCUMENT TYPE:
                               Patent
LANGUAGE:
                               English
FAMILY ACC. NUM. COUNT:
PATENT INFORMATION:
                              KIND
                                        DATE
      PATENT NO.
                                                     APPLICATION NO.
                                                                                   DATE
                               ----
                                        _____
      US 2005002904
                                A1
                                        20050106
                                                     US 2004-812238
                                                                                    20040329
                                                      WO 2004-US21365
      WO 2005041860
                               A2
                                        20050512
                                                                                    20040702
                               A3
      WO 2005041860
                                        20050623

W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW
RW: BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GO, GW, ML, MR, NE,

                SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE,
                SN, TD, TG
                                                       US 2003-485164P P 20030703
PRIORITY APPLN. INFO.:
      Entered STN: 07 Jan 2005
      The inventors identified vascular endothelial growth factor and type I
AΒ
      collagen inducible protein (VCIP),
      also known as phosphatidic acid phosphatase
      2b (PAP2b), in a functional assay of angiogenesis.
      Previously, VCIP was not known to function as an integrin
      ligand. The present invention discloses that VCIP-derived
      peptides and proteins act as integrin ligands. Expression of recombinant
      VCIP promoted adhesion, spreading and tyrosine phosphorylation of
      Fak, Shc, Cas and paxillin in endothelial cells. Since VCIP
      -derived peptides or proteins are capable of inhibiting specific cell-cell
      interactions, such inhibitors of cell-cell interactions would be useful
      for developing novel therapeutic approaches to treat diseases where these
      interactions have clear pathol. consequences. Protein and cDNA sequences
      for human VCIP as well as VCIP-derived peptides are
      provided. For example, VCIP/PAP2b can be a novel
      target for anti-angiogenic, anti-cancer and anti-metastatic
      therapy.
L25 ANSWER 3 OF 7 CAPLUS COPYRIGHT 2005 ACS on STN DUPLICATE 2
                            2004:857620 CAPLUS
ACCESSION NUMBER:
DOCUMENT NUMBER:
                               141:325700
                               Sequences of human VEGF and type I collagen
TITLE:
                               inducible protein (VCIP)
```

and use as a target for anti-tumor therapy

INVENTOR(S): Wary, Kishore K.; Humtsoe, Joseph O.

PATENT ASSIGNEE(S): The Texase A & M University System, USA

SOURCE: PCT Int. Appl., 115 pp.

CODEN: PIXXD2

DOCUMENT TYPE: LANGUAGE:

Patent English

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE	
WO 2004087736 WO 2004087736	A2 A3	20041014 20050331	WO 2004-US9476	20040329	
W: AE, AG, CN, CO, GE, GH, LK, LR, NO, NZ, TJ, TM, RW: BW, GH, BY, KG, ES, FI,	AL, AM, AT CR, CU, CZ GM, HR, HU LS, LT, LU OM, PG, PH TN, TR, TT GM, KE, LS KZ, MD, RU FR, GB, GR	, AU, AZ, , DE, DK, , ID, IL, , LV, MA, , PL, PT, , TZ, UA, , MW, MZ, , TJ, TM, , HU, IE,	BA, BB, BG, BR, BW, BY, DM, DZ, EC, EE, EG, ES, IN, IS, JP, KE, KG, KP, MD, MG, MK, MN, MW, MX, RO, RU, SC, SD, SE, SG, UG, US, UZ, VC, VN, YU, SD, SL, SZ, TZ, UG, ZM, AT, BE, BG, CH, CY, CZ, IT, LU, MC, NL, PL, PT, CM, GA, GN, GQ, GW, ML,	FI, GB, GD, KR, KZ, LC, MZ, NA, NI, SK, SL, SY, ZA, ZM, ZW ZW, AM, AZ, DE, DK, EE, RO, SE, SI,	

PRIORITY APPLN. INFO.:

US 2003-458164P P 20030327

ED Entered STN: 18 Oct 2004

AB Vascular endothelial growth factor and type I collagen inducible protein (VICP), also known as phosphatic acid phosphatase 2b (PAP2b), was identified in a functional assay of angiogenesis. Previously, VCIP was not known to function as an integrin ligand. The present invention discloses VCIP-derived peptides and proteins act as integrin ligands. Since VCIP -derived peptides or proteins are capable of inhibiting specific cell-cell interactions, such inhibitors of cell-cell interactions have clear pathol. consequences. For example, VCIP/PAP2b can be a novel target for anti-angiogenic, anti-cancer and anti-metastatic therapy.

L25 ANSWER 4 OF 7 CAPLUS COPYRIGHT 2005 ACS on STN

ACCESSION NUMBER:

2005:673420 CAPLUS

DOCUMENT NUMBER:

143:167623

TITLE:

Expression profiles of endothelial cells in response

to TNF- $\alpha$ , IL-1 $\beta$ , and IL-8, methods of

assessing a tissue inflammatory response using the

same, and diagnostic and therapeutic uses

INVENTOR(S):

Smith, Steven Kevin; Charnock-Jones, David Stephen;

Print, Cristin Gregor; Johnson, Nicola Anne

PATENT ASSIGNEE(S):

Cambridge University Technical Services Limited, UK

SOURCE: PCT Int. Appl., 492 pp.

CODEN: PIXXD2

DOCUMENT TYPE:

Patent

LANGUAGE:

English

FAMILY ACC. NUM. COUNT:

Ր։ 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
		<del>-</del>		
WO 2005068655	A2	20050728	WO 2005-GB57	20050114

```
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW
RW: BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG
```

PRIORITY APPLN. INFO.:

GB 2004-976

A 20040116

ED Entered STN: 29 Jul 2005

AB The invention provides methods of assessing a tissue inflammatory response, comprising making a quant. determination of the level of at least five

transcripts shown in transcriptome provided in the invention or proteins encoded thereby, in a sample; and comparing the abundance of said transcripts or proteins so determined with the level of said transcript obtained from a control sample. Methods for diagnosis of a condition with which a tissue inflammatory response is associated are also provided, as are gene chip arrays and protein based assays suitable for use in these methods. Assay methods for determining a modulator of a tissue inflammatory response or a condition associated therewith also form part of the invention. The gene expression was profiled in human umbilical vein endothelial cells (HUVEC) contacted with a mixture of TNF- $\alpha$ , interleukin-1 $\beta$ , and interleukin-8. In addition, expression in different endothelial cells types obtained from different parts of the body, namely HUVEC, human coronary artery endothelial cells (HCAEC) and human uterine microvascular endothelial cells (UtMVEC) were analyzed. It was found that many transcripts were consistently regulated by inflammatory signals in all three cell types.

L25 ANSWER 5 OF 7 CAPLUS COPYRIGHT 2005 ACS on STN

ACCESSION NUMBER:

2004:824055 CAPLUS

DOCUMENT NUMBER:

141:330185

TITLE:

Gene expression profiling for diagnosis and treatment

of angiogenesis-related disorders

INVENTOR(S):

Gonda, Thomas John; Kremmidiotis, Gabriel

PATENT ASSIGNEE(S): SOURCE:

Bionomics Limited, Australia PCT Int. Appl., 148 pp.

CODEN: PIXXD2

DOCUMENT TYPE:

Patent

LANGUAGE:

English

FAMILY ACC. NUM. COUNT:

PATENT INFORMATION:

PATENT NO.	KI	ND DATE	2	APPLICA	ON NO.		DATE
WO 2004085675	I	1 2004	1007	WO 2004	1-AU383		20040326
W: AE, A	G, AL, AN	1, AT, AU,	AZ, BA	A, BB, BG	G, BR, BW,	BY, B	Z, CA, CH,
CN, C	O, CR, CU	J, CZ, DE,	DK, DN	M, DZ, E	C, EE, EG,	ES, F	[, GB, GD,
GE, G	H, GM, H	R, HU, ID,	IL, IN	N, IS, J	P, KE, KG,	KP, KI	R, KZ, LC,
LK, I	R, LS, LT	r, LU, LV,	MA, MI	D, MG, MI	K, MN, MW,	MX, M	Z, NA, NI,
NO, N	Z, OM, PO	G, PH, PL,	PT, RO	o, RU, So	C, SD, SE,	SG, SI	K, SL, SY,
TJ, T	M, TN, TE	R, TT, TZ,	UA, UC	G, US, U	Z, VC, VN,	YU, Z	A, ZM, ZW
RW: BW, G	H, GM, KE	E, LS, MW,	MZ, SI	D, SL, S	Z, TZ, UG,	ZM, ZV	N, AM, AZ,
BY, K	G, KZ, MI	O, RU, TJ,	TM, AT	r, BE, Bo	G, CH, CY,	CZ, DI	E, DK, EE,
ES, F	I, FR, GE	B, GR, HU,	IE, IT	r, LU, M	C, NL, PL,	PT, R	o, se, si,

SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG

PRIORITY APPLN. INFO.:

AU 2003-901511

A 20030328

ED Entered STN: 08 Oct 2004

AB The present invention provides methods of gene expression profiling for diagnosis and treatment of angiogenesis-related disorders. Diseases of the invention include cancer, rhematoid arthritis, diabetic retinopathy, psoriasis, cardiovascular diseases such as atherosclerosis, ischmeic limb disease and coronary heart disease.

REFERENCE COUNT: 4 THERE ARE 4 CITED REFERENCES AVAILABLE FOR THIS

REFERENCE COUNT: 4 THERE ARE 4 CITED REFERENCES AVAILABLE FOR THIS

RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L25 ANSWER 6 OF 7 CAPLUS COPYRIGHT 2005 ACS on STN

ACCESSION NUMBER: 2004:975661 CAPLUS

DOCUMENT NUMBER: 142:53369

TITLE: Variability in the degree of expression of

phosphorylated  $I \kappa B \alpha$  in chronic lymphocytic

leukemia cases With nodal involvement

AUTHOR(S): Rodriguez, Antonia; Martinez, Nerea; Camacho,

Francisca I.; Ruiz-Ballesteros, Elena; Algara,

Patrocinio; Garcia, Juan-Fernando; Menarguez, Javier; Alvaro, Tomas; Fresno, Manuel F.; Solano, Fernando; Mollejo, Manuela; Martin, Carmen; Piris, Miguel A.

CORPORATE SOURCE: Molecular Pathology Program, Centro Nacional de

Investigaciones Oncologicas, Madrid, Spain

SOURCE: Clinical Cancer Research (2004), 10(20), 6796-6806

CODEN: CCREF4; ISSN: 1078-0432

PUBLISHER: American Association for Cancer Research

DOCUMENT TYPE: Journal LANGUAGE: English

Entered STN: 16 Nov 2004 ED Based on previous preliminary observations, the authors hypothesize that AB the mol. and clin. variability of chronic lymphocytic leukemia (CLL) reflects differences in the degree of nuclear factor (NF)- $\kappa B$ activation, as determined by the expression of phosphorylated  $I \kappa B \alpha$  $(p-I\kappa B\alpha)$ . The expression profile (mRNA and protein expression) was analyzed with the Centro Nacional de Investigaciones Oncologicas Oncochip, a cDNA microarray containing 6386 cancer -related genes, and a tissue microarray (TMA). The results were correlated with the IqVH mutational status, ZAP-70 expression, cytogenetic alterations, and clin. outcome. The authors found correlations between the presence of  $p-I\kappa B\alpha$ , a surrogate marker of NF- $\kappa B$ activation, and changes in the expression profile (mRNA and protein expression) and clin. outcome in a series of CLL cases with lymph node involvement. Activation of NF-kB, as determined by the expression of  $p-I\kappa B\alpha$ , was associated with the expression of a set of genes comprising key genes involved in the control of B-cell receptor signaling, signal transduction, and apoptosis, including SYK, LYN, BCL2, CCR7, BTK, PIK3CD, and others. Cases with increased expression of  $p-I\kappa B\alpha$ showed longer overall survival than cases with lower expression. A Cox regression model was derived to estimate some parameters of prognostic interest: IgVH mutational status, ZAP-70, and p-I $\kappa$ B $\alpha$ expression. The multivariate anal. disclosed p-IkB $\alpha$  and ZAP-70 expression as independent prognostic factors of survival. A variable degree of activation of NF- $\kappa B$ , as determined by the expression of  $p-I\kappa B\alpha$ , is an identifiable event in CLL, and is correlated with changes in the expression profile and overall survival.

REFERENCE COUNT: 54 THERE ARE 54 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L25 ANSWER 7 OF 7 BIOSIS COPYRIGHT (c) 2005 The Thomson Corporation on STN

ACCESSION NUMBER: 2003:186580 BIOSIS DOCUMENT NUMBER: PREV200300186580

TITLE: VCIP induces cell-cell interactions: Its role in

angiogenesis.

AUTHOR(S): Wary, K. K. [Reprint Author]

CORPORATE SOURCE: Center for Extracellular Matrix Biology, Institute of

Biosciences and Technology, Houston, TX, USA

SOURCE: Molecular Biology of the Cell, (Nov 2002) Vol. 13, No.

Supplement, pp. 75a-76a. print.

Meeting Info.: 42nd Annual Meeting of the American Society for Cell Biology. San Francisco, CA, USA. December 14-18,

2002. American Society for Cell Biology.

ISSN: 1059-1524 (ISSN print).

DOCUMENT TYPE: Conference; (Meeting)

Conference; Abstract; (Meeting Abstract)

LANGUAGE: English

ENTRY DATE: Entered STN: 16 Apr 2003

Last Updated on STN: 16 Apr 2003

ED Entered STN: 16 Apr 2003

Last Updated on STN: 16 Apr 2003

=> file home

FILE 'HOME' ENTERED AT 16:54:33 ON 19 SEP 2005

#### => d his full

```
(FILE 'HOME' ENTERED AT 16:08:55 ON 19 SEP 2005)
```

FILE 'CAPLUS' ENTERED AT 16:09:22 ON 19 SEP 2005

E US2004-812238/AP

L1 1 SEA ABB=ON PLU=ON US2004-812238/AP D IALL

FILE 'HOME' ENTERED AT 16:10:09 ON 19 SEP 2005

FILE 'ZCAPLUS' ENTERED AT 16:20:36 ON 19 SEP 2005

- E INTEGRINS+ALL/CT
- E ANTITUMOR AGENTS+NT/CT
- E ANTITUMOR AGENTS+ALL/CT
- E INTEGRIN+NT/CT
- E E1
- E E3
- E E3+ALL
- E E2+ALL
- E ANGIOGENESIS+NT/CT
- E ANTIANGIOGENE/CT
- E E5+ALL
- E E2+ALL

FILE 'REGISTRY' ENTERED AT 16:32:20 ON 19 SEP 2005

- E VCIP/CN
- E PAP2B/CN
- E PHOSPHATIDIC ACID PHOSPHATASE 2B/CN

FILE 'CAPLUS' ENTERED AT 16:33:40 ON 19 SEP 2005

- 206557 SEA ABB=ON PLU=ON ANTITUMOR? OR ANTINEOPLAS? OR ANTICARCINO? L2 OR ANTICANCER? OR CARCINOSTAT? OR ONCOLY?
- L3 666615 SEA ABB=ON PLU=ON TUMOR? OR TUMOUR? OR CANCER? OR NEOPLAS? OR TUMOUR? (2A) (ANTI OR INHIBIT? OR THERAP? OR TREAT? OR SUPPRESS?)
- 15958 SEA ABB=ON PLU=ON ANGIOGENESIS/CT OR NEOVASCULARIZATION/CW L4L57764 SEA ABB=ON PLU=ON ANGIOGENESIS INHIBITORS/CT OR ANTIANGIOGENI
- C? 6 SEA ABB=ON PLU=ON VCIP OR COLLAGEN INDUCIBLE PROTEIN L6
- L7 11 SEA ABB=ON PLU=ON PHOSPHATIDIC ACID PHOSPHATASE 2B OR PAP2B
- 24381 SEA ABB=ON PLU=ON INTEGRINS+OLD/CT L8
- L9 6 SEA ABB=ON PLU=ON (L2 OR L3 OR L4 OR L5) AND (L6 OR L7)
  - D SCAN TI D SCAN
- L\*\*\* DEL 14 S L6-L7 L\*\*\* DEL 8 S L10 NOT L9
  - D SCAN TI
- 5 SEA ABB=ON PLU=ON L8 AND (L6 OR L7) L10
- L\*\*\* DEL 0 S L10 NOT L9

FILE 'MEDLINE' ENTERED AT 16:44:14 ON 19 SEP 2005

- L11
- 1 SEA ABB=ON PLU=ON VCIP OR COLLAGEN INDUCIBLE PROTEIN
  4 SEA ABB=ON PLU=ON PHOSPHATIDIC ACID PHOSPHATASE 2B OR PAP2B L12
- L\*\*\* DEL 0 S L11L1L2
- 4 SEA ABB=ON PLU=ON L11 OR L12 L13
  - D TRIAL 1-4
- L14 1 SEA ABB=ON PLU=ON L13 AND (CELL CELL)/TI

L15 L16 L17		'BIOSIS' ENTERED AT 16:46:18 ON 19 SEP 2005  2 SEA ABB=ON PLU=ON VCIP OR COLLAGEN INDUCIBLE PROTEIN  5 SEA ABB=ON PLU=ON PHOSPHATIDIC ACID PHOSPHATASE 2B OR PAP2B  6 SEA ABB=ON PLU=ON (L15 OR L16)  D SCAN
L18		1 SEA ABB=ON PLU=ON L17 AND ANGIO?/TI
	FILE	'EMBASE' ENTERED AT 16:47:56 ON 19 SEP 2005 E VCIP/CT E E4 E PAP2B/CT E PHOSPHATIDIC ACID PHOSPHATASE/CT
L19 L20 L21		2 SEA ABB=ON PLU=ON VCIP OR COLLAGEN INDUCIBLE PROTEIN 4 SEA ABB=ON PLU=ON PHOSPHATIDIC ACID PHOSPHATASE 2B OR PAP2B 5 SEA ABB=ON PLU=ON (L19 OR L20) D TRIAL 1-5
L22 L23	FILE	'WPIX' ENTERED AT 16:50:40 ON 19 SEP 2005  2 SEA ABB=ON PLU=ON VCIP OR COLLAGEN INDUCIBLE PROTEIN  0 SEA ABB=ON PLU=ON PHOSPHATIDIC ACID PHOSPHATASE 2B OR PAP2B  D SCAN L22
L24	FILE	'CAPLUS' ENTERED AT 16:52:29 ON 19 SEP 2005 D QUE L9 D QUE L10 6 SEA ABB=ON PLU=ON L9 OR L10
	FILE	'MEDLINE' ENTERED AT 16:52:51 ON 19 SEP 2005 D QUE L14
	FILE	'BIOSIS' ENTERED AT 16:53:01 ON 19 SEP 2005 D QUE L18
	FILE	'EMBASE' ENTERED AT 16:53:15 ON 19 SEP 2005 D QUE L21
	FILE	'WPIX' ENTERED AT 16:53:25 ON 19 SEP 2005 D QUE L22 D QUE L23
L25	FILE	'MEDLINE, CAPLUS, BIOSIS, WPIX' ENTERED AT 16:54:03 ON 19 SEP 2005 7 DUP REM L14 L24 L18 L22 (3 DUPLICATES REMOVED) ANSWER '1' FROM FILE MEDLINE ANSWERS '2-6' FROM FILE CAPLUS ANSWER '7' FROM FILE BIOSIS D IBIB ED AB L25 1-7
	FILE	'HOME' ENTERED AT 16:54:33 ON 19 SEP 2005
	FILE	HOME

.... .....

FILE CAPLUS

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications.

The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 19 Sep 2005 VOL 143 ISS 13 FILE LAST UPDATED: 18 Sep 2005 (20050918/ED)

New CAS Information Use Policies, enter HELP USAGETERMS for details.

This file contains CAS Registry Numbers for easy and accurate substance identification.

#### FILE ZCAPLUS

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS is strictly prohibited.

FILE COVERS 1907 - 19 Sep 2005 VOL 143 ISS 13 FILE LAST UPDATED: 18 Sep 2005 (20050918/ED)

New CAS Information Use Policies, enter HELP USAGETERMS for details.

This file contains CAS Registry Numbers for easy and accurate substance identification.

#### FILE REGISTRY

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 18 SEP 2005 HIGHEST RN 863382-78-9 DICTIONARY FILE UPDATES: 18 SEP 2005 HIGHEST RN 863382-78-9

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH JULY 14, 2005

Please note that search-term pricing does apply when conducting SmartSELECT searches.

# \*\*\*\*\*\*\*\*\* \* The CA roles and document type information have been removed from \* the IDE default display format and the ED field has been added, \* effective March 20, 2005. A new display format, IDERL, is now \* available and contains the CA role and document type information. \* \*

Structure search iteration limits have been increased. See HELP SLIMITS for details.

Experimental and calculated property data are now available. For more information enter HELP PROP at an arrow prompt in the file or refer to the file summary sheet on the web at: http://www.cas.org/ONLINE/DBSS/registryss.html

#### FILE MEDLINE

FILE LAST UPDATED: 17 SEP 2005 (20050917/UP). FILE COVERS 1950 TO DATE.

On December 19, 2004, the 2005 MeSH terms were loaded.

The MEDLINE reload for 2005 is now available. For details enter HELP RLOAD at an arrow promt (=>). See also:

http://www.nlm.nih.gov/mesh/ http://www.nlm.nih.gov/pubs/techbull/nd04/nd04 mesh.html

OLDMEDLINE now back to 1950.

MEDLINE thesauri in the /CN, /CT, and /MN fields incorporate the MeSH 2005 vocabulary.

This file contains CAS Registry Numbers for easy and accurate substance identification.

#### FILE BIOSIS

FILE COVERS 1969 TO DATE.

CAS REGISTRY NUMBERS AND CHEMICAL NAMES (CNs) PRESENT FROM JANUARY 1969 TO DATE.

RECORDS LAST ADDED: 14 September 2005 (20050914/ED)

FILE RELOADED: 19 October 2003.

# FILE EMBASE

FILE COVERS 1974 TO 15 Sep 2005 (20050915/ED)

EMBASE has been reloaded. Enter HELP RLOAD for details.

This file contains CAS Registry Numbers for easy and accurate substance identification.

#### FILE WPIX

FILE LAST UPDATED: 15 SEP 2005 <20050915/UP>
MOST RECENT DERWENT UPDATE: 200559 <200559/DW>
DERWENT WORLD PATENTS INDEX SUBSCRIBER FILE, COVERS 1963 TO DATE

>>> FOR A COPY OF THE DERWENT WORLD PATENTS INDEX STN USER GUIDE, PLEASE VISIT:

http://www.stn-international.de/training center/patents/stn guide.pdf <<<

- >>> FOR DETAILS OF THE PATENTS COVERED IN CURRENT UPDATES, SEE http://thomsonderwent.com/coverage/latestupdates/
- >>> FOR INFORMATION ON ALL DERWENT WORLD PATENTS INDEX USER GUIDES, PLEASE VISIT: http://thomsonderwent.com/support/userguides/ <<<
- >>> NEW! FAST-ALERTING ACCESS TO NEWLY-PUBLISHED PATENT

DOCUMENTATION NOW AVAILABLE IN DERWENT WORLD PATENTS INDEX FIRST VIEW - FILE WPIFV.
FOR FURTHER DETAILS: http://www.thomsonderwent.com/dwpifv <<<

>>> THE CPI AND EPI MANUAL CODES HAVE BEEN REVISED FROM UPDATE 200501. PLEASE CHECK:

http://thomsonderwent.com/support/dwpiref/reftools/classification/code-rev
 FOR DETAILS. <<<</pre>

=>